#### **ENRON OIL & GAS COMPANY**

P.O. Box 250
Big Piney, WY 83113

January 27, 1997

Utah Division of Oil, Gas, & Mining Attn: Mr. Frank Matthews, Petroleum Engineer 1594 West North Temple Box 145801 Salt Lake City, UT 84114-5801

> RE: APPLICATION FOR PERMIT TO DRILL Chapita Wells Unit #479-26F NE/NW SEC. 26, T9S, R22E Unitah COUNTY, UTAH LEASE NO. U-0285-A FEDERAL LAND-BLM

Dear Mr. Matthews:

Enclosed please find a copy of the Application for Permit to Drill and associated attachments for the referenced well.

Please address further communication regarding this matter (including approval) to:

Ed Trotter
P.O. Box 1910
Vernal, UT 84078
Phone # (801) 789-4120
Fax # (801) 789-1420

Sincerely.

Ed Trotte Agent

Enron Oil & Gas Company

10) TE C 15 11 A

JAN 2 8 1997

DIV. OF OIL, GAS & MINING

Attachments

/EHT/dmt

Form 3160-3 (July 1992)


SUBMIT IN TRI (Other instructions on reverse side)

UNITED STATES
DEPARTMENT OF THE INTERIOR

 FORM APPROVED OMB NO. 1004-0136 Expires: February 28, 1995
LEASE DESIGNATION AND SERIAL NO. $J-0285-A$

	BUREAU OF LAND MANAGEMENT						U-0285-A		
APPL	ICATION FOR F	PERMIT TO	DRIL	L OR DEE	PEN		6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
1a. TYPE OF WORK  DR  b. TYPE OF WELL	ILL T	DEEPEN					7. UNIT AGREEMENT NAME CHAPITA WELLS UNIT		
OIL GWELL W	AS X OTHER			NGLE	MULTIPI ZONE		8. FARM OR LEASE NAME, WELL NO. CHAPITA WELLS UNIT		
	GAS COMPANY						9. API WELL NO. 479-26F		
3. ADDRESS AND TELEPHONE NO. P.O. BOX 18	15, VERNAL,	UTAH 840	78				10. FIELD AND POOL, OR WILDCAT		
4. LOCATION OF WELL (R At surface	teport location clearly an	d in accordance wi	th any 8	state requireme	nts.*)		CWU/WASATCH		
425 I At proposed prod. zon	FNL & 1461' I	FWL NE/NW	Ī				11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA  SEC. 26, T9S, R22E		
14. DISTANCE IN MILES	AND DIRECTION FROM NE	AREST TOWN OR POS	offic	E+			12. COUNTY OR PARISH   13. STATE UINTAH UTAH		
18.9MILES	SOUTHEAST OF	OURAY, UT		ON ACRES IN	7 M 1 G D	1 17 NO C			
LOCATION TO NEAREST PROPERTY OR LEASE I (Also to nearest dri	t LINE, FT. 425'		180	O. OF ACRES IN	LEASE		of acres assigned this well 40		
18. DISTANCE FROM PROF TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,			OPOSED DEPTH		20. ROTA	RY OR CABLE TOOLS		
21. ELEVATIONS (Show wh			6	5700'		<u> </u>	22. APPROX. DATE WORK WILL START*		
4910.2' GRAD							JANUARY, 1997		
23.		PROPOSED CAS	ING ANI	CEMENTING	PROGRAM	ſ			
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER F	тоот	SETTING D	EPTH		QUANTITY OF CEMENT		
12 1/4"	9 5/8"	32.3#		240' -6700'	1		CLASS "G" + CaCl <sub>2</sub> #/SX CELLOFLAKE. 50/		
SEE ATTACHMENT BOP SCHEMATIC SURFACE USE AN LOCATION PLAT LOCATION LAYOU TOPOGRAPHIC ME GAS SALES PIPE	ND OPERATING UT APS "A", "B" ELINE MAP "D	, AND "C"		DESIGN	L + S I OIL & IATED	IGHT LCM HALE ONTERV	ST (+ 10% EXCESS). CEMENT (11 PPG+) TO 200' ABOVE OIL OR FRESH WATER ALS (+ 5% EXCESS).  COMPANY WILL BE THE TOR OF THE SUBJECT NWIDE BOND #81307603		
24. SIGNED (This space for Fede	inent data on subsurface locati	ons and measured and t	give data	ENT	owout preven	nd proposed ter program,	new productive zone. If proposal is to drill or if any.  DATE 1-22-97		
FERMIT NO.	not warrant or certify that the a	pplicant holds legal or e		O B	n the subject le		JAN 2 8 1997  DATE  FOIL GAS & MINING the		

### T9S, R22E, S.L.B.&M.




#### ENRON OIL & GAS CO.

Well location, CWU #479-26F, located as shown in the NE 1/4 NW 1/4 of Section 26, T9S, R22E, S.L.B.&M. Uintah County, Utah.

#### BASIS OF ELEVATION

SPOT ELEVATION AT THE NORTHWEST CORNER OF SECTION 26, T9S, R22E, S.L.B.&M. TAKEN FROM THE RED WASH SW, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4973 FEET.



#### CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLATE THE ARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OF WINDER MY SUPERVISION AND THAT THE SAME ARE THE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLES

REGISTERED LAND SURVEYOR REGISTRATION NO. 161319
STATE OF UTAH

#### UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078

(801) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: DATE DRAWN: 5-10-95 6-29-95				
PARTY G.S. D.A. D.J.S.	REFERENCES G.L.O. PLAT				
WEATHER	FILE				
WARM	ENRON OIL & GAS CO.				

#### **EIGHT POINT PLAN**

#### CHAPITA WELLS UNIT #479-26F SE/NW SEC. 26, T9S R22E UINTAH COUNTY, UTAH

#### 1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS & WATER ZONES:

FORMATION		DEPTI	H TYPE ZONI	ES MAX	KIMUM PRESSURE
Green River					
Oil Shale		1538			
"H" Marke	r	2948			
"J" Marker		3598			
Base "M" N	Marker	4168			
Wasatch					
Peters Poin	t	4543	Gas		2000 PSI
Chapita We	ells	5073	Gas		2300 PSI
Buck Canyo		5633	Gas		2500 PSI
Island		6556			
EST. TD	6700'		Anticipated BHP	3000 PSI	

#### 3. PRESSURE CONTROL EQUIPMENT:

BOP Schematic Diagram attached.

#### 4. <u>CASING PROGRAM</u>:

							<u>MIININ</u>	<u>IUM SAFETY</u>	FACTUR
<b>HOLE SIZE</b>	INTERVAL	<b>LENGTH</b>	<u>SIZE</u>	<b>WEIGHT</b>	<b>GRADE</b>	THREAD	COLL	APSE BURST	<b>TENSILE</b>
12 1/4	0' - 240'	240'	9 5/8	32.3 #	H-40	ST&C	1370 PSI	2270 PSI	254,000#
7 7/8	0' - 6700'	6700'	4 1/2	10.5 #	J-55	ST&C	4010 PSI	4790 PSI	146,000#

All casing will be new or inspected.

#### 5. MUD PROGRAM

INTERVAL	MUD TYPE
0' - 240'	Air
240' - 3500'	Air/Mist & Aerated Water
3500' - TD	Air/3% KCL water or KCL substitute
TD	Gel/polyacrylamide polymer w/5-10% LCM
	sweeps as necessary

Lost circulation probable from 1500' to 3000' + /-.

Sufficient mud inventory will be maintained on location during drilling to handle any adverse conditions that may arise.

#### **EIGHT POINT PLAN**

#### CHAPITA WELLS UNIT #479-26F SE/NW SEC. 26, T9S, R22E UINTAH COUNTY, UTAH

#### 6. <u>VARIANCE REQUESTS:</u>

- A. Enron Oil & Gas Company requests a variance to regulations requiring a straight run blooie line (Where possible, a straight run blooie line will be used).
- B. Enron Oil & Gas Company requests a variance to regulations requiring an automatic ignitor or continuous pilot light on the blooie line. (Not required on aerated water system).

#### 7. EVALUATION PROGRAM:

Logs:

Dual Laterolog/GR

FDC-CNL/GR/Caliper

TD to 2800'

from base of surface casing to TD.

Linear 2" DLL.

Cores:

None Programmed

DST':

None Programmed

Completion: To be submitted at a later date.

#### 8. ABNORMAL CONDITIONS:

None anticipated.

#### 9. <u>STANDARD REQUIRED EQUIPMENT:</u>


- A. Choke Manifold
- B. Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

#### 10. HAZARDOUS CHEMICALS:

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in associaton with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in associaton with the drilling of this well.

(Attachment: BOP Schematic Diagram)

ANNULAR PREVENTOR AND BOTH RAMS ARE 3000' PSIG RATED. CASING FLANGE IS 11° 3000 PSIG RATED. BOPE 11° 3000 PSIG



# CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

Company/Operator: Enron Oil & Gas Company
Well Name & Number: Chapita Wells Unit #479-26F

Lease Number: <u>U-0285-A</u>

Location: 425' FNL & 1461' FWL, NE/NW, Sec. 26, T9S, R22E

Surface Ownership: Federal Land-BLM

#### NOTIFICATION REQUIREMENTS

Location Construction - forty-eight (48) hours prior to construction of location and access roads.

Location Completion - prior to moving on the drilling rig.

Spud Notice

- at least twenty-four (24) hours prior to spudding the

well.

Casing String and

Cementing

- twenty-four (24) hours prior to running casing and

cementing all casing strings.

BOP and related

**Equipment Tests** 

- twenty-four (24) hours prior to running casing and

tests.

First Production

Notice

- within five (5) business days after new well begins

or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice To Drill and Surface Use Program.

#### THIRTEEN POINT SURFACE USE PROGRAM

#### 1. EXISTING ROADS

- A. See attached Wellsite Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 18.9 miles southeast of Ouray, Utah See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

#### 2. PLANNED ACCESS ROAD

- A. The access road will be approximately 0.3 miles in length. See attached TOPO Map "B"
- B. The access road has a 30 foot ROW w/18 foot running surface.
- C. Maximum grade on access road will be 8%
- D. No turnouts will be required.
- E. Road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. No culverts, bridges or major cuts & fills will be required.
- G. The access road will be dirt surface.
- H. No gates, cattleguards or fences will be required or encountered.

New or reconstructed roads will be centerlined - flagged at time of location staking.

All travel will be confined to existing access road Right-of-Way. Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service Publication: Surface Operating Standards For Oil & Gas Exploration and Development, (1989).

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, drainage, graveling, crowning, and capping the roadbed as necessary to provide a well-constructed safe road.

Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot Right-of- Way will not be allowed.

Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossings nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by run off water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

As operator, Enron Oil & Gas Company shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

## 3. LOCATION OF EXISTING WELLS WITHIN A ONE MILE RADIUS OF PROPOSED WELL LOCATION

- A. Water wells None
- B. Abandoned wells 3\*
- C. Temporarily abandoned wells None.
- D. Disposal wells None.
- E. Drilling wells None.
- F. Producing wells 6\*
- G. Shut in wells None
- H. Injection wells None

  (\*See attached TOPO map "C" for location)

#### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

#### A. ON WELL PAD

1. Tank batteries - None

- Production facilities will be set on location if the well is successfully completed for production. Facilities will consist of well head valves, separator, dehy, 210 Bbl condensate tank, meter house and attaching piping.
   See attached facility diagram.
- 3. Oil gathering lines None
- 4. Gas gathering lines- A 4 1/2" gathering line will be buried from dehy to the edge of location.
- 5. Injection lines None
- 6. Disposal lines None
- 7. Surface pits None

#### B. OFF WELL PAD

- 1. Proposed location of attendant off pad flowlines shall be flagged prior to archaeological clearance.
- 2. A 4 1/2" OD steel above ground natural gas pipeline will be laid approximately 1500' from proposed location to a point in the SE/SW of Section 23, T9S, R22E, where it will tie into Questar Pipeline Co's existing line. Proposed pipeline crosses BLM administered lands within the Chapita Wells Unit, thus no Right-of-Way grant will be required.
- 3. Proposed pipeline will be a 4 1/2" OD steel, welded line laid on the surface.
- 4. Protective measures and devices for livestock and wildlife will be taken and/or installed where required.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire contents of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

The production facilities will be placed on the East side of the location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities required will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded. The required paint color is Carlsbad Canyon.

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a construction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate rental or other financial obligation as determined by the authorized officer.

#### 5. LOCATION & TYPE OF WATER SUPPLY

- A. Water supply will be from Ouray Brine Plant at Ouray, Utah, and/or Target Trucking Inc.'s water source in the SW/SW Sec. 35, T9S, R22E Uintah County, Utah (State water right #49-1501).
- B. Water will be hauled by Target Trucking Inc..
- C. No water well will be drilled on lease.

#### 6. SOURCE OF CONSTRUCTION MATERIAL

- A. All construction material for this location and access road will be of native borrow and soil accumulated during the construction of location.
- B. All construction material will come from Federal Land.
- C. No mineral materials will be required.

#### 7. METHODS OF HANDLING WASTE DISPOSAL

#### A. METHODS AND LOCATION

- 1. Cuttings will be confined in the reserve pit.
- 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.
- 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at an approved waste disposal facility.
- 4. Produced waste water will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, together with the required water analysis, will be submitted for the AO's approval.
- 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on drilling rig to avoid leakage of oil to pit.
- B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in reserve pit or be removed and disposed of at an authorized disposal site.

  Introduction of well bore hydrocarbons to reserve pit will be avoided by flaring them off in flare pit at time of recovery.

Burning of trash will not be allowed. All trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

#### On BLM administered land:

The reserve pit will be constructed so as not to leak, break, or allow discharge.

The reserve pit shall be lined.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with Onshore Order No.7, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

#### 8. ANCILLARY FACILITIES

A. No airstrips or camps are planned for this well.

#### 9. WELL SITE LAYOUT

long even pile.

- A. Refer to attached well site plat for related topography cuts and fills & cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approved on On-site.
- C. Refer to attached well site plat for rig orientation parking areas, and access road.

The reserve pit will be located on the West side of the location.

The flare pit will be located downwind of the prevailing wind direction on the West side of the location, a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled topsoil will be stored on the East side of the location in a

Access to the well pad will be from the North.

X Diversion ditches shall be constructed on the North end and the West
side of the location above the cut slope, draining to the Southeast.
N/A Soil compacted earthen berm(s) shall be placed on the
side(s) of the location between the
N/A The drainage(s) shall be diverted around the sides of the well pad location
N/A The reserve pit and/or pad locations shall be constructed long and
narrow for topographic reasons
X Corners No. 2, 7, & 9 will be rounded off to minimize excavation.

#### FENCING REQUIREMENTS

All pits will be fenced according to the following minimum standards:

- A. 39 inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- B. The net wire shall be no more than 2 inches above the ground. The barbed wire strand shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- C. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- D. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16'.
- E. All wire shall be stretched by using a stretching device before it is attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BIA or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguards (shall/shall not) be permanently mounted on concrete bases. Prior to a new road, crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BIA, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

#### 10. PLANS FOR RESTORATION OF SURFACE

#### A. PRODUCING LOCATION

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 12 months from the date of well completion. Before any dirt work takes place, the reserve pit will be completely dry and all cans, barrels, pipe, fluid, and hydrocarbons, will be removed.

Contact appropriate surface management agency for required seed mixture.

#### B. DRY HOLE/ABANDONED LOCATION

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and BIA will attach the appropriate surface rehabilitation conditions of approval.

#### 11. SURFACE OWNERSHIP

Access road: Federal
Location: Federal

#### 12. OTHER INFORMATION

- A. Enron Oil & Gas Company will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the AO. Within five working days the AO will inform the operator as to:
  - -whether the materials appear eligible for the National Register of historic Places;
  - -the mitigation measures the operator will likely have to undertake before the site can be used.
  - -a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials that may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. As operator, Enron Oil & Gas Company will control noxious weeds along Right-of-Ways for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds will be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land, a Pesticide Use proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- C. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs).

#### Additional Surface Stipulations

N/A No construction or dril	ling activities shall be conducted between
and	because of
N/A No surface occupancy w	vill be allowed within 1,000 feet of any sage
grouse strutting ground.	
N/A No construction or explo	oration activities are permitted within 1.5
mile radius of sage grouse str	utting grounds from April 1 to June 30.
N/A There shall be no surfac	e disturbance within 600 feet of live water
(includes stock tanks, springs	, and guzzlers).
N/A No cottonwood trees wi	ll be removed or damaged.
One Pond will be constructed	ed according to BLM specifications
approximately 50 ft. West of	the location, as flagged on onsite.

#### LESSEE'S OR OPERATOR'S REPRESENTATIVES AND CERTIFICATION

OPE	PERMITTING	
Enron Oil & Gas Company	Enron Oil & Gas Company	Ed Trotter
P.O. Box 250	P.O. Box 1815	P.O. Box 1910
Big Piney, WY 83113	Vernal, UT 84078	Vernal, UT 84078
Dennis Brabec	George McBride	Telephone (801) 789-4120
Telephone (307) 276-3331	Telephone (801) 789-0790	Fax # (801) 789-1420

All lease/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approval plan of operations, and any applicable Notice to Lessees. Enron Oil & Gas Company is fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

The BLM Office shall be notified upon site completion prior to moving on the drilling rig.

#### Certification:


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in the Plan are to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Petroglyph Operating Co., Inc. and its contractors and sub-contractors in conformity with this Plan and the terms and conditions under which it is approved.


Ed Trotter


1-22-97 Date

#### CHAPITA WELLS UNIT #479-26F SEC. 26, T9S, R22E, NE/4 NW/4 UINTAH COUNTY, UTAH FEDERAL LEASE NO. U-0285-A









#### APPROXIMATE YARDAGES

(6") Topsoil Stripping = 1,250 Cu. Yds.

Remaining Location = 2,990 Cu. Yds.

TOTAL CUT = 4,240 CU.YDS.

FILL = 2,230 CU.YDS.

EXCESS MATERIAL AFTER

5% COMPACTION

= 1,890 Cu. Yds.

Topsoil & Pit Backfill

= 1.890 Cu. Yds.


(1/2 Pit Vol.)


EXCESS UNBALANCE


= 0 Cu. Yds.


(After Rehabilitation)

UINTAH ENGINEERING & LAND SURVEYING 85 So. 200 East \* Vernal, Utah 84078 \* (801) 789-1017










### WORKSHEET APPLICATION FOR PERMIT TO DRILL

API NO. ASSIGNED: 43-047-32826 APD RECEIVED: 01/28/97 WELL NAME: CHAPITA WELLS UNIT 479-26F OPERATOR: ENRON OIL & GAS (N0401) INSPECT LOCATION BY: PROPOSED LOCATION: NENW 26 - T09S - R22E SURFACE: 0425-FNL-1461-FWL TECH REVIEW Initials Date BOTTOM: 0425-FNL-1461-FWL UINTAH COUNTY Engineering NATURAL BUTTES FIELD (630) Geology LEASE TYPE: FED LEASE NUMBER: U - 0285 - A Surface PROPOSED PRODUCING FORMATION: WSTC LOCATION AND SITING: RECEIVED AND/OR REVIEWED: ✓ R649-2-3. Unit: CHAPITA WELLS ✓ Plat Bond: Federal [ State [ Fee [ ] R649-3-2. General. (Number <u>91307603</u>)  $/\!\!/$  Potash (Y/N)\_\_\_ R649-3-3. Exception. Oil shale (Y/N) √ Water permit (Number  $\frac{49-1501}{\sqrt{\text{RDCC Review (Y/N)}}}$ \_\_\_ Drilling Unit. Board Cause no: (Date: Date: \_\_\_\_\_ COMMENTS: STIPULATIONS:

OPERATOR: ENRON OIL & GAS FIELD: NATURAL BUTTES (630) SEC, TWP, RNG: 26, T9S. R22E

COUNTY: UINTAH

UAC: R649-2-3 NATURAL BUTTES



PREPARED: DATE: 28-JAN-96 Michael O. Leavitt
Governor
Ted Stewart
Executive Director

Executive Director

James W. Carter

Division Director

801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

February 20, 1997

Enron Oil and Gas Company P.O. Box 1815 Vernal, Utah 84078

Re: Chapita Wells Unit 479-26F Well, 425' FNL, 1461' FWL,

NE NW, Sec. 26, T. 9 S., R. 22 E., Uintah County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-32826.

Singerely,

Associate Director

lwp

Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:		Enron	<u>Oil a</u>	<u>nd Gas</u>	: Compai	ny		
Well Name & Nur	mber: _	Chapi	ta Wel	ls Uni	t 479-2	26F		
API Number: _		43-04	7-3282	6			· · · · · · · · · · · · · · · · · · ·	
Lease:		<u>U-028</u>	5-A					
Location:	JE NW	Sec.	26	Т.	9 S.	R.	22 F	F

#### Conditions of Approval

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5336.

Notify the Division prior to commencing operations to plug and abandon the well. Contact R. J. Firth (801)538-5274 or Mike Hebertson at (801) 538-5333.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

CONDITIONS OF APPROVAL IF ANY

### HINITED STATES

SUBMIT IN T (Other instructions on reverse side)

FORM APPROVED OMB NO. 1004-0136

DIV. OF OIL, GAS & MINING

	DEPARTMENT	OF THE I	NTER	IOR		_	5. LEASE DESIGNATION			
	BUREAU OF LAND MANAGEMENT							and sasial no.		
APP	LICATION FOR P		6. IF INDIAN, ALLOTTEE	OR TRIBE NAME						
1a. TYPE OF WORK  b. TYPE OF WELL	RILL T	DEEPEN [				-	7. UNIT AGREEMENT NO. CHAPITA WE:	<del></del>		
OIL WELL 2. NAME OF OPERATOR			SIN ZON		MULTIPLE ZONE	. 🗆	8. FARM OR LEASE NAME, WEL CHAPITA WE			
	& GAS COMPANY						9. AM WELL NO. 479-26F			
	815, VERNAL,		10. FIELD AND POOL, O							
At surface	FNL & 1461' F					-	11. SEC., T., R., M., OR E AND SURVEY OR AR SEC. 26, T93	ea		
14. DISTANCE IN MILE	S AND DIRECTION FROM NEA	REST TOWN OR POS	T OFFICE	•			12. COUNTY OR PARISH UINTAH			
15. DISTANCE FROM PR LOCATION TO NEAR PROPERTY OR LEAS	EST E LINE, FT. 425'	OURAY, UT		OF ACRES IN LE	ASE		ACRES ASSIGNED S WELL 40			
18. DISTANCE FROM PI	, DRILLING, COMPLETED,		19. PROPOSED DEPTH 20. Rd				TARY OR CABLE TOOLS			
	whether DF, RT, GR, etc.)						JANUARY,			
4910.2' GRA	DED GROUND	PROPOSED CASI	NG AND	CEMENTING PR	ROGRAM		Jinvoliki y			
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER F	<u> </u>	SETTING DEPT	···		QUANTITY OF CEMEN	T		
12 1/4"	9 5/8"	32.3#		240'	12	5 SX	CLASS "G" +	CaCl <sub>2</sub>		
7 7/8"	4 1/2"	_10.5#		6700'		1/4 #	/SX_CELLOFL	<b>ake. 50∕</b> 50		
SEE ATTACHME	NTS FOR:				T'C IN L]	400' TERES GHT C	+ 2% GEL +    ABOVE ALL T (+ 10% EX EMENT (11 P O 200' ABOV	ZONES OF CESS). PG <u>+</u> )		
LOCATION PLA	C AND OPERATING T	PLAN			_		R FRESH WAT LS (+ 5% EX			
LOCATION LAY TOPOGRAPHIC GAS SALES PI FACILITY DIA	MAPS "A", "B", PELINE MAP "D" GRAM			DESIGNA'	TED C	PERAT	OMPANY WILL OR OF THE S WIDE BOND #	UBJECT		
	4	RECEIV	(FD							
		JAN 2 7					If n	roposal is to drill of		
deepen directionally, give p	RIBE PROPOSED PROGRAM: If pertinent data on subsurface location	proposal is to deepen, ons and measured and t	give data o	depths. Give blowd	out prevent	er program, if	any.	——————————————————————————————————————		
SIGNED	e Coutt	TI	rle <b>AG</b> E	NT			DATE /- 3	22-97		
MOS	ederal of State office use)	VAL	30	APPROVAL DATE	13		PPROVAL	7100		
Application approval de	pes not warrant or certify that the ap	oplicant holds legal or e	quitable title	e to those rights in th	e subject le	ase which wou	Enlumente &	duction alions hereon.		

UT080-7M-110 Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make the any department, or a United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**Assistant Field Manager** Mineral Resources

\*See Instructions On Reverse Side

COAs Page 1 of <u>7</u>
Well No.: Chapita Wells Unit 479-26F

### CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: Enron Oil & Gas Company
Well Name & Number: <u>CWU 479-26F</u>
API Number: <u>43-047-32826</u>
Lease Number: <u>U - 0285-A</u>
Location: <u>NENW</u> Sec. <u>26</u> T. <u>9S</u> R. <u>22E</u>
Agreement: Chapita Wells Unit

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

COAs Page 2 of 7\_\_\_\_\_\_

Well No.: Chapita Wells Unit 479-26F

#### CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

#### A. <u>DRILLING PROGRAM</u>

### 1. <u>Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered</u>

Report <u>ALL</u> water shows and water-bearing sands to Tim Ingwell of this office **prior to setting the next casing string or requesting plugging orders**. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

#### 2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a <a href="mailto:system">3M</a> system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

#### 3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the usable water zone, identified at 425 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

COAs Page 3 of <u>7</u>
Well No.: Chapita Wells Unit 479-26F

#### 4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

#### 5 .Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run from the production casing shoe to 225 ft. and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

#### 6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

<u>Immediate Report</u>: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

COAs Page 4 of <u>7</u>
Well No.: Chapita Wells Unit 479-26F

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

COAs Page 5 of <u>7</u>
Well No.: Chapita Wells Unit 479-26F

#### 7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries and tested for meter accuracy at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

COAs Page 6 of <u>7</u> Well No.: Chapita Wells Unit 479-26F

In the event after-hours approvals are necessary, please contact one of the following individuals:

Ed Forsman

(801) 789-7077

Petroleum Engineer

Wayne P. Bankert

(801) 789-4170

Petroleum Engineer

(801) 781-1190

Jerry Kenzcka Petroleum Engineer

**BLM FAX Machine** 

(801) 781-4410

COAs Page 7 of <u>7</u>
Well No.: Chapita Wells Unit 479-26F

### EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter Division Director 801-538-7223 (TDD)

1594 West North Temple, Suite 1210 Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax)

March 12, 1997

Claudia Silver-Huff School & Institutional Trust Lands Administration 675 East 500 South, Suite 500 Salt Lake City, Utah 84102

Chapita Wells Unit - Wasatch PA "B-C-D-E" - Entities 4905 and 11455

Dear Claudia:

Enron Oil & Gas Co. has recently contacted the Division to request that wells currently listed under entity 11455 be changed to entity 4905 to make their reporting responsibilities easier and to eliminate the confusion regarding the double entity assignment for the Wasatch PA "B-C-D-E".

In January of 1993, all of these same wells were changed from entity 4905 to 11455 to accommodate and assist Trust Lands (formally "State Lands") with the collection of payor division order interest.

Please review the attached information and let me know if two separate entities are still necessary for the Wasatch PA "B-C-D-E".

Should you have any questions please call me at 538-5296.

Sincerely,

Lisha Cordova Admin. Analyst

Lisha Cordova

cc: Enron Oil & Gas Co.



Governor
Ted Stewart
Executive Director
James W. Carter
Division Director

# State of Utah DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210 Box 145801 Salt Lake City, Utah 84114-5801 801-359-3940 (Fax) 801-538-5319 (TDD)

## UTAH DIVISION OF OIL, GAS AND MINING FACSIMILE COVER SHEET

DATE:	MARCH 12, 1997
FAX #	(307) 276–3898
ATTN: _	BRENDA
COMPANY: _	ENRON OIL & GAS
FROM: _	LISHA CORDOVA
DEPARTMENT:	OIL & GAS
NUMBER OF P	AGES BEING SENT (INCLUDING THIS ONE):5
If you do n please calļ	ot receive all of the pages, or if they are illegible, (801) 538-
	ing from a Sharp facsimile machine. Our telecopier 301) 359-3940.
MESSAGES:	
SAME INFO FAX	ED TO CLAUDIA SILVER-HUFF/TRUST LANDS ADMIN. FOR REVIEW. SHE
WILL CALL ME	BACK WITH UPDATE ASAP. I WILL LET YOU KNOW OUTCOME. IF YOU
WOULD LIKE TO	TALK WITH HER PLEASE CALL (801)538-5100.

Important: This message is intended for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return this original message to us at the above addressed via regular postal service. Thank you.



## DIVISION OF OIL, GAS AND MINING

### SPUDDING INFORMATION

Name of Company: ENRON OIL & GAS
Well Name: CHAPITA WELLS UNIT 479-26F
Api No. 43-047-32826
Section: 26 Township: 9S Range: 22E County: UINTAH
Drilling Contractor
Rig #
SPUDDED:
Date_3/27/97
Time_8:00 AM
How DRY HOLE
Drilling will commence
Reported by <u>ED TROTTER</u>
Telephone #
Date: 3/31/97 Signed: JLT

OPERATOR	ENRON OIL & GAS COMPANY
ADDRESS	.p.o. Box 250
	BIG PINEY, WYOMING 83113

			110401
OPERATOR	ACCL.	49.	101

·	·	<del></del>									
:10113A	COMMENT	nEsi	API BURUER	WELL HAHE			HELL	LOCALION	<del></del>	SPUD	EFFECTIVE
COUE		HITTY RO.			ეე	5€	TP	RG	CDUITTY	DATE	BATE
В.,	11455-	•		CHAPITA WELLS UNIT 435-24N	NW/SW	24	98	22E	UINTAH	2-17-96	
WELL FIG	mine (415)	Entity,	previously ado	Lel 2-11-97							
}		-7	Į l								
l											:
В	99999	11455	43-047-32826	CHAPITA WELLS UNIT 479-26F	NENW	26	95	22E	UINTAH	3-28-97	
WELL 2 C	COMENTS:							1		13 20 37	<u> </u>
		Entity	added 4-18-9	17.						-	,
,				MC							
\	T	7	т		<del></del>	,	·		,		
1 B	199999	11455	42 045 2004			1	}	}			
	1. 1.1.1.1.		<u> 43-047-3284₽</u>	CHAPITA WELLS UNIT 463-23F	NWSE	23	98	22E	UINTAH	4-13-97	
ואבנו זו	OTHERIS:	Entity	1 added 4-18-9	7. <i>I</i>							
		/	,	fice							
			{			1	7	T	·	T	<del></del>
	<u></u>					1	1	1			i
WELL 4 (	COMPLETE S:		•					<del></del>			J
1							•				
İ											
ļ	1	T	7		<del></del>	ı	<del></del>	1	·	·	
1		}				ł	1	j		ì	
WELL 5	COMMENTS:		-3 <del></del>	1		<u>!</u>	.1	<u> </u>	· · · · · · · · · · · · · · · · · · ·	1	J
1											
1					•						

ACTION CODES (See instructions on back of form)

A - Establish new entity for new well (single well only)


B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

B - Re-assign well from one existing entity to a new entity

E - Other texplain in connects section)

HOTE: Use Countil section to explain why each Action Code was selected. (3/89)



Signatura Carlson

REGULATORY ANALYST 4-16-97

Plione No. (307 ) 276-3331

1

Substitute Form 5160-4 (November 1983) (formerly 9-330)

SUBMIT IN DUPLICATE
(See other instructions on
recurrent eide)

UPLICATE	1	
uctions on	Expires August 31, 1985	
	3. LEASE DESIGNATION AND SERIAL NO.	
	U 0285A	
	6. IF ENDIAN, ALLOTTEE OR TRIBE NAME	

(tonnerly 9-3	30)		U	NITE	STATES	;			,		U 028			
	DEPARTMENT OF THE INTERIOR										6. IF INDIAN, ALLOTTEE OR TRIBE NAME			
		_			ND MANA						CHAPITA WELLS UNIT			
\ A / F					OMPLETIC			OT ANI			8. FARM OR LEASE NAME CHAPITA WELLS UNIT			
VVE		OMPLE	ION OR	KEU	JIVIPLETIC	711/	2	<u> </u>	D LOC		9. WELL NO.			
b. TYPE OF	COMPLETIO	ON:	OIL	WEIL	GAS WELL	X	DRY		OTHER -		479-26	OOL OR WILDO	AT	<u> </u>
NEW WE	[	X work o	VER DEE	PEN	PLUG BACK		DIFF.RES.		OTHER _			WELLS/W		<u>-</u>
Z. NAME OF	OPERATO		ENRON (	) I & (	SAS COMP	ANY					SECTIO	N 26, T9S,	R22E	
3. ADDRESS	OF OPERA	TOR			BIG PINEY		OMINO	3 8311	3		UINTA	PARISH	7	TAH
4. LOCATIO	NOF WELL	(Report location clearly	and in accordance with	nny State requie	rements)*		Olvina	3 0011	<u> </u>		14. PERMIT NO.	<u> </u>	<u>_</u>	
At surfac		eported below	425' FNI SAME	<b>-</b> 1461	' FWL (NE/N	<b>W</b> )	00	VICIL	TINT	111	43-047-3 DATE PERMIT I			
At total	depth		SAME			7. DATEC	لالا	NFIL	JENI	IAL	2-20-97	9. ELEV. CASING	HEAD.	
13. DATE SP		•	16. DATE T.D. REAC 4-17-97	CHED	]		2-97	w proc.)	16. 22.7	4924' KB		4910' P		
20. TOTAL D	3-28-97 рерти, мо		21. PLUG, BACK T.I	D., MID & TVD				PLE COMPLET			23. ROTARY TO			BLE TOOLS
24. PRODUC	6932'	VAL(S), OF THIS COM	6880'	M, NAME (M	D AND TVD)*			1			ROTARY	25. WAS DIRL	ECTIONAL SC	DRVEY MADE?
	WASA'		5197' - 626										NO	
		DOTHER LOGS RUN	D/O 1' A/S	EL (CD	CBUGELC	<b>.</b>		40040		5-6 <del>-9</del> 7	,	27 . WAS WE	NO	
28.	DLL/G	R/FDC/CNL/G	K/Caliper/Mis	FL/SP	COYSYC	CL				ings set in well				
CASING SIZ	Е	WEIGHT, LB./FT.		DEPT	H SET (MD)		HOLE	SIZE	CEMENTO	NG RECORD				AMOUNT PULLED
9-5/8"		32.3# H-	40	23	38'		12-1/4"		<del></del>	Class "G" cei		_		NONE
4-1/2"		10.5# J-5	55	660	7'		7-7/8"			Supper "G" c	ement & 90	6 sx 50-50	· · · · ·	NONE
							<u> </u>	т	Pozmix.		TIDAICAE	CORD		
29.			LINER REC					30. SIZE		<del></del>	TUBING RE			PACKER SET (MD)
SIZE	то	P (MD)	BOTTOM (MID	)	SACKS CEMEN	SCI	REEN (MID)	2-3/	/8"		6290'			NONE
31. PERFOR	ATION REC	ORD (Interval, size and r	jumber)		COME	וחו	ITINI	3L DEPTHINT	AC	CID, SHOT, FR		MENT, SQUE		
TIVA CAT	rott	В9	6159-60'	6249-53	"	וטו			9-6266'	27.17				20/40 sand
WASA?	ICH	ВЭ	6264-66'	, 0249-32	<i>.</i>	w/3	SPF	- 310	0 0200		000# 16/30			
		B <b>7</b>	5930-32'			w/3	SPF	578	9-5932	31,500	0 gals gelle	d water & 1	13,000#	# 20/40 sand
		B5	5789-91'	& 5803-	08'	w/3	3 SPF			& 20,0	000# 16/30	RC sand.		<del></del>
		C11	5394-99'			w/3	SPF	539	4-99'	58,919	gals gelled	water & 15	6,000# 2	20/40 sand
		C9	5270-73	& 5306-	.09'	w/3	3 SPF	<u> </u>			000# 16/30 1			
		C7	5306-09	& 5197-	5200'	w/3	3 SPF	530	9-5197'	<del></del>	2 gals gelled		6,300# 2	20/40 sand
33.*								PRODUC	HON	Jæ 20,0	000# 16/30 1			
DATE FIRST	PRODUCT	ION			g, gas lift, pumping-size an	type of pu	mp)	<del></del>			(	PRODUC	_	k-an)
DATE OF TE	5-22-9°	7 HOURS TESTEL	FLOWIN	ESIZE	PROD'N FOR		OIL BBL		1	GAS-MCF.		WATER-		GAS-OIL RATIO
5-31-97		24	18x6 O PRESSURE		TEST PERIOD		2 BC	iBL.	1425 M	CFD MCF.	WATER-E	1 BW	OIL OIL	AVITY-APT (CORR.)
FTP 78	0 psig	CP 86	0 psig	İ	24-HOUR RATE	F	2 BC		1425 M	CFD	TEST WITNESS	1 BW		
34. DISPOSI	HON OF GA	S (Sold, used for fliel, ve	SOLD			1)r	)[E	CE		FIM	JAY ORR			
35. LIST OF	ATTACIME	NIS.					7			<b>=</b>				
SIGNED		Total	Carl	Lon	determined from all availab	10	니	UN 13		Regulation			DATE	6-10-97
Title 18 U.S.	C. Section 10	01, makes it a crime for	arry person knowingly a	*(S ad willfully to r	See Instructions make to any department or	200	gcenier	dditional	Data on 1	Reverse Side	) creations as to any n	natter within		
its jurisdictio	WIL.					1								



Generat: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. and recula

issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

It there are no applicable State requirements, locations on Federal or incidian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

It there are no applicable State requirements, locations on Federal or incident land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Reme 22 and 24: If this will is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in tiem 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Rem 29: era": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the centern 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

### PRIVACY ACT

GEOLOGIC MARKERS

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connectionwith information required by tis application.

The Privacy Act of 1974 and the regulation in 43 CFR 248(4) provide that you be turnament the following an ormation in consecution as unmated in equive by us applications.

AUTHORITY: 30 U.S.C. 1812, 43.C.d. see, 4.3 CFR 3160

PRINCIPLE PURPOSE: The information is to be used to evaluate the actual operations performed in the drilling of an oil or gas well on a Federal or Indian lease.

ROUTINE USES: (1) Evaluate the equipment and procedures used during the drilling of the well. (2) The review of geologic zones and formation encountered during drilling. (3) Analyze future applications to drill in light of data obtained and methods used. (4/5) Information from the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or procecutions.

EFFECT OF NOT PROVIDING INFORMATION: Filing of this report and disclosure of late information is mandatory once an oil or gas well is drilled.

The Preservork Reduction Act of 1980 (44 U.S.C. 3501, et. seq.) requires us to inform you that:

This information is being collected to allow evaluation of the technical, safety, and environs

ed with drilling and producing oil and gas on Federal and indian oil and gas leases.

This information is being collected to allow evaluation of the technical, safety, and environmental factors involved won uniming who proved the information will be used to analyze operations and compare equipment and procedures actually used with the proposals applied for.

Response to this request is mandatory once as oil or gas well is drilled.

SUMMARY OF POROUS ZONES: (Show all important zones of porosity

erval tested, cushio: d recoveries):	n usea, time to	or oben't nowing an	tests, including depth and shut-in pressures,	TOP						
ORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH				
	-				1.0					
	ŀ	1			1,500					
				GREEN RIVER	1529'					
	ł			"M" MARKER	4187'					
	ľ			"N" Ls	4798'					
				PETERS POINT	4558'					
					!					
				CHAPITA WELLS	5088'					
				BUCK CANYON	5648'					
				ISLAND	6571'					
				iona de la companya d						
	ŀ			to the state of th	Sec. 14					
					ļ					
	1				İ					
	l									
			The second second	****	j					
			<b>9</b> , .	,`						
				المواجد المنا						
		Ť		,						
	1	1								
		1	}							
		1								
			1							
	1	1								
	1									
				. ,						
	- 1		and the second s			1				

Page 12 of 12

## MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:		UTAH ACCOUNT NUMBER: N0401							
PATTY E ROBINSON ENRON OIL & GAS CO PO BOX 250		REPORT PERIOD (MONTH/YEAR): 7 / 97							
BIG PINEY WY 83113		AME	ENDED REPORT	(Highlight Change	es)				
Well Name	Producing	Well	Days	T	Production Volume	······································			
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)			
CWU 355-13N 4304732644 11455 09S 22E 13	WSTC					William			
*CWU*479-26F 4304732826 11455 09S 22E 26	WSTC								
CWU 463-23F 4304732841 11455 09S 22E 23 STAGECOACH 41-20	WSTC								
4304732280 11456 09S 22E 20 NATURAL COTTON 23-28	WSTC								
4304732425 11516 09S 21E 28	GRRV								
NATURAL COTTON 34-21 4204732426 11522 095 21E 21	GRRV								
'URAL COTTON 14-8 4304732428 11523 09S 21E 8 NATURAL COTTON 23-18	GRRV	·							
4304732427 11525 095 21E 18 NATURAL COTTON 13-20	GRRV		1		30 Sept. 1997	1 a V 1 a - VX - 1 - 1			
4304732429 11531 09S 21E 20	GRRV								
NATURAL COTTON 11-20 4304732430 11534 09S 21E 20	GRRV					PART PART			
NATURAL COTTON 12-17 4304732463 11661 095 21E 17	GRRV								
NATURAL COTTON 43-16 4304732468 11665 095 21E 16	WSTC								
			TOTALS						
OMMENTS:									
3			······································						
hereby certify that this report is true and complete to the	he best of my	knowledge.	•		Date:				
lame and Signature:	· · · · · · · · · · · · · · · · · · ·				Telephone Number:	· 			
(12/93)									

## Division of Oil, Gas and Hining PHONE CONVERSATION DOCUMENTATION FORM

of (Company/Organization)TRUST_LANDS (SITLA)  3. Topic of Conversation:CHAPITA WELLS UNIT-WASATCH "B-C-D-E" PA.  (ENTITY REVIEW 04905 AND 11455)  4. Highlights of Conversation:A SECOND ENTITY NUMBER 11455 WAS ASSIGNED TO THE SAME PA 1/92 PER TRUST LANDS  (FORMERLY STATE LANDS) REQUEST. CAN WELLS BE COMBINED UNDER ONE ENTITY 04905  AS PER OPERATOR REQUEST & DOGM REVIEW? RON CARLSON WILL REVIEW & NOTIFY DOGM  OF OUTCOME.  *970819 - RON CARLSON SAYS OPERATOR "ENRON" IS REPORTING ALL DOE PAYMENTS, ETC.  UNDER ENTITY 04905; HE IS NOT SURE WHY A SECOND ENTITY OF 11455 WAS REQUESTED	(API No.)	(Return Date) _ (To - Initials) _	[] Other
Talked to:  Name RON CARLSON (Initiated Call []) - Phone No. (801) 538-5131  of (Company/Organization) TRUST LANDS (SITLA)  3. Topic of Conversation: CHAPITA WELLS UNIT-WASATCH "B-C-D-E" PA.  (ENTITY REVIEW 04905 AND 11455)  4. Highlights of Conversation:  A SECOND ENTITY NUMBER 11455 WAS ASSIGNED TO THE SAME PA 1/92 PER TRUST LANDS  (FORMERLY STATE LANDS) REQUEST. CAN WELLS BE COMBINED UNDER ONE ENTITY 04905  AS PER OPERATOR REQUEST & DOGM REVIEW? RON CARLSON WILL REVIEW & NOTIFY DOGM  OF OUTCOME.  *970819 - RON CARLSON SAYS OPERATOR "ENRON" IS REPORTING ALL DOE PAYMENTS, ETC.  UNDER ENTITY 04905; HE IS NOT SURE WHY A SECOND ENTITY OF 11455 WAS REQUESTED  BY THEM IN THE FIRST PLACE; MAY HAVE HAD SOMETHING TO DO WITH THEIR INTERNAL  SYSTEM; IT IS OK TO CHANGE ALL WELLS CURRENTLY UNDER ENTITY 11455 TO ENTITY	1. Date of Phone Call: 8-15-97	Time:	11:30
of (Company/Organization) TRUST LANDS (SITLA)  3. Topic of Conversation: CHAPITA WELLS UNIT-WASATCH "B-C-D-E" PA.  (ENTITY REVIEW 04905 AND 11455)  4. Highlights of Conversation:  A SECOND ENTITY NUMBER 11455 WAS ASSIGNED TO THE SAME PA 1/92 PER TRUST LANDS  (FORMERLY STATE LANDS) REQUEST. CAN WELLS BE COMBINED UNDER ONE ENTITY 04905  AS PER OPERATOR REQUEST & DOGM REVIEW? RON CARLSON WILL REVIEW & NOTIFY DOGM  OF OUTCOME.  *970819 - RON CARLSON SAYS OPERATOR "ENRON" IS REPORTING ALL DOI PAYMENTS, ETC.  UNDER ENTITY 04905; HE IS NOT SURE WHY A SECOND ENTITY OF 11455 WAS REQUESTED  BY THEM IN THE FIRST PLACE; MAY HAVE HAD SOMETHING TO DO WITH THEIR INTERNAL  SYSTEM; IT IS OK TO CHANGE ALL WELLS CURRENTLY UNDER ENTITY 11455 TO ENTITY	2. DOGM Employee (name) L. Co	ORDOVA	(Initiated Call KXXX
(ENTITY REVIEW 04905 AND 11455)  4. Highlights of Conversation:  A SECOND ENTITY NUMBER 11455 WAS ASSIGNED TO THE SAME PA 1/92 PER TRUST LANDS  (FORMERLY STATE LANDS) REQUEST. CAN WELLS BE COMBINED UNDER ONE ENTITY 04905  AS PER OPERATOR REQUEST & DOGM REVIEW? RON CARLSON WILL REVIEW & NOTIFY DOGM  OF OUTCOME.  *970819 - RON CARLSON SAYS OPERATOR "ENRON" IS REPORTING ALL DOE PAYMENTS, ETC.  UNDER ENTITY 04905; HE IS NOT SURE WHY A SECOND ENTITY OF 11455 WAS REQUESTED  BY THEM IN THE FIRST PLACE; MAY HAVE HAD SOMETHING TO DO WITH THEIR INTERNAL  SYSTEM; IT IS OK TO CHANGE ALL WELLS CURRENTLY UNDER ENTITY 11455 TO ENTITY			Phone No. (801) 538-5131
A SECOND ENTITY NUMBER 11455 WAS ASSIGNED TO THE SAME PA 1/92 PER TRUST LANDS  (FORMERLY STATE LANDS) REQUEST. CAN WELLS BE COMBINED UNDER ONE ENTITY 04905  AS PER OPERATOR REQUEST & DOGM REVIEW? RON CARLSON WILL REVIEW & NOTIFY DOGM  OF OUTCOME.  *970819 - RON CARLSON SAYS OPERATOR "ENRON" IS REPORTING ALL DOE PAYMENTS, ETC.  UNDER ENTITY 04905; HE IS NOT SURE WHY A SECOND ENTITY OF 11455 WAS REQUESTED  BY THEM IN THE FIRST PLACE; MAY HAVE HAD SOMETHING TO DO WITH THEIR INTERNAL  SYSTEM; IT IS OK TO CHANGE ALL WELLS CURRENTLY UNDER ENTITY 11455 TO ENTITY	•	WELLS UNIT-WASATCH "B	-C-D-E" PA.
	A SECOND ENTITY NUMBER 11455 WAS  (FORMERLY STATE LANDS) REQUEST.  AS PER OPERATOR REQUEST & DOGM RE  OF OUTCOME.  *970819 - RON CARLSON SAYS OPERAT  UNDER ENTITY 04905; HE IS NOT SUE  BY THEM IN THE FIRST PLACE; MAY E  SYSTEM; IT IS OK TO CHANGE ALL WE	ASSIGNED TO THE SAME CAN WELLS BE COMBINE EVIEW? RON CARLSON W FOR "ENRON" IS REPORT RE WHY A SECOND ENTIT HAVE HAD SOMETHING TO	PA 1/92 PER TRUST LANDS  D UNDER ONE ENTITY 04905  TILL REVIEW & NOTIFY DOGM  ING ALL DOT PAYMENTS, ETC.  Y OF 11455 WAS REQUESTED  DO WITH THEIR INTERNAL  ENTITY 11455 TO ENTITY

OPERATOR	ENRON OIL & GAS	
ADDRESS _		

OPERATOR ACCT. NO. N 0401

		•						<del> </del>			
ACTION CODE	CURRENT ENTITY HO.	NEW ENTITY NO.	API NUMBER	WELL NAME		7	WELL	LOCATIO		SPUD	EFFECTIVE
С	11455	04905	43-047-3-826	***SEE ATTACHED***	Óδ	32	TP	RG	COUNTY	DATE	DATE 8-1-97
MELL 1 C	OMMENTS:	*ENTITY ARE BEI	11455 ESTABLIS	HED 2/93 PER TRUST LANDS NO 04905 EFF 8-1-97. (CHAPITA V	LONGER N	NECESS.	ARY;AI STC B-	LL WEL -C-D-E	LS CURRENTLY PA). OPERAT	UNDER 11 OR NOTIFI	455
WELL 2 C	COMMENTS:				· · · · · · · · · · · · · · · · · · ·	<del></del>	<u>!</u>	!	,,/,	1	
	<del></del>										
									· .		
	OMMENTS:					1	<u> </u>	1	·		<u></u>
WELL 4 C	UMHENTS:	1				:		·			
											<u> </u>
WELL 5 C	OHMENTS:			.~		<u>I</u>					
A : B : C : D :	– Establish – Add new w – Re–assign – Re–assign	new entity ell to exis well from a well from a		gle well only) or unit well) y to another existing entity y to a new entity		· · · · · · · · · · · · · · · · · · ·			L. CORDOVA Signature		9 20 07
NOTE: U	- other (exp	piain in cor	whents section)	ction Code was selected.					Title Phone No. (	)	8-20-97 Date :
(3/89)											



EOG Resources, Inc. 1200 Smith Street Houston, TX 77002

P.O. Box 4962 Houston, TX 77210-4362

October 6, 1999

VIA OVERNIGHT MAIL

Ms. Kristen Risbeck
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

RE:

Blanket Oil & Gas Well Drilling Bond No. JT 1230

Merger and Name Change from Enron Oil & Gas Company

Into EOG Resources, Inc.

Dear Ms. Risbeck:

On August 30, 1999, EOG Resources, Inc. merged with and into Enron Oil & Gas Company and Enron Oil & Gas Company changed its name to EOG Resources, Inc. Enclosed are an originally certified copy of the Certificate of Ownership and Merger evidencing this merger and name change, a Rider for Bond No. JT 1230 changing the principal to EOG Resources, Inc. and a list of wells operated by Enron Oil & Gas Company in Utah. Please update your records accordingly.

If you have any questions or need any additional information, please contact me at (713) 853-5195.

Sincerely,

Debbie Hamre

**Enclosures** 

cc:

Theresa Wysocki

elebertamic.

Toni Miller, Denver Division

Bill Aven

DIV. OF OIL, GAS & MINING

### **ENRON OIL & GAS COMPANY**

### CERTIFICATE OF NAME CHANGE

### TO EOG RESOURCES, INC.

I, the undersigned, Vickie L. Graham, Assistant Secretary of EOG Resources. Inc., a corporation duly organized and existing under and by virtue of the laws of the State of Delaware and formerly known as Enron Oil & Gas Company, hereby certify that:

- as Assistant Secretary I am authorized to execute this certificate on (1) behalf of the Corporation;
- attached is a true and correct copy of a Certificate of Ownership and (2) Merger merging EOG Resources, Inc. into Enron Oil & Gas Company, and changing the corporate name of Enron Oil & Gas Company to EOG Resources, Inc., including a copy of the certificate of the Secretary of State of Delaware, the state of incorporation; said merger and name change being effective as of August 30, 1999.

IN WITNESS HEREOF, I have hereunto set my hand as Assistant Secretary and affixed the corporate seal of said Corporation this 1999.

CORPORATE SEAL

**Assistant Secretary** 

STATE OF TEXAS

COUNTY OF HARRIS

ANN S. BYERS

NOTARY PUBLIC, STATE OF TEXAS MY COMMISSION EXPIRES

FEB. 15, 2003

CARRICANIA PARA

This instrument was acknowledged before me this \_\_, 1999 by Vickie L. Graham, as Assistant Secretary of EOG Resources, Inc., a Delaware corporation, on behalf of said corporation. Witness my hand and official seal.

> Notary Public in and for The State of Texas

## State of Delaware

## Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"EOG RESOURCES, INC.", A DELAWARE CORPORATION,

WITH AND INTO "ENRON OIL & GAS COMPANY" UNDER THE NAME OF "EOG RESOURCES, INC.", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE THIRTIETH DAY OF AUGUST, A.D. 1999, AT 4:30 O'CLOCK P.M.



**AUTHENTICATION:** 8100M

> DATE: 09-03-99

9955549

2064000

991371085

## CERTIFICATE OF OWNERSHIP AND MERGER

#### MERGING

## EOG RESOURCES, INC. a Delaware corporation

### INTO

## ENRON OIL & GAS COMPANY a Delaware corporation

(Pursuant to Section 253 of the General Corporation Law of the State of Delaware)

Enron Oil & Gas Company, a corporation duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware, does hereby certify:

FIRST: That Enron Oil & Gas Company (the "Company") and EOG Resources, Inc. ("EOG") are corporations duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware.

SECOND: That the Company owns all of the issued and outstanding shares of the capital stock of EOG.

THIRD: That the board of directors of the Company adopted the following resolutions by unanimous written consent dated August 25, 1999, and that such resolutions have not been rescinded and are in full force and effect on the date hereos:

"WHEREAS, EOG Resources, Inc., a Delaware corporation ("EOG"), is a wholly owned subsidiary of the Company;

WHEREAS, the board of directors of the Company deems it advisable and in the best interest of the Company to merge EOG with and into the Company, with the Company being the surviving corporation;

Now, THEREFORE, BE IT RESOLVED, that EOG be merged with and into the Company pursuant to Section 253 of the General Corporation Law of the State of Delaware, and that the Company succeed to and possess all the rights and assets of EOG and be subject to all of the liabilities and obligations of EOG;

RESOLVED, that the Company change its corporate name by changing Article First of the Certificate of Incorporation of the Company to read in its entirety as follows:

"First: The name of the Corporation is EOG Resources, Inc."

RESOLVED, that each share of common stock, \$1.00 par value per share, of EOG issued and outstanding immediately prior to the effective date of the merger shall, upon the effective date and by virtue of the merger, be canceled without payment therefor;

RESOLVED, that the merger shall become effective on the date the Company files a Certificate of Ownership and Merger with respect to such merger with the Secretary of State of the State of Delaware;

RESOLVED, that the appropriate officers of the Company are hereby authorized and empowered to file the necessary documents with the Secretary of State of the State of Delaware, to incur the necessary expenses therefor and to take, or cause to be taken, all such further action and to execute and deliver or cause to be executed and delivered, in the name of and on behalf of the Company, all such further instruments and documents as any such officer may deem to be necessary or advisable in order to effect the purpose and intent of the foregoing resolutions and to be in the best interests of the Company (as conclusively evidenced by the taking of such action or the execution and delivery of such instruments and documents, as the case may be, by or under the direction of any such officer);

RESOLVED, that the prior actions of the officers and directors of the Company in undertaking to carry out the transactions contemplated by the foregoing resolutions be, and the same hereby are, in all respects, approved, adopted, ratified and confirmed."

IT WITNESS WHEREOF, the Company has caused this Certificate to be signed by its duly authorized officer this 26th day of August, 1999.

**ENRON OIL & GAS COMPANY** 

By:

Walter C. Wilson

Senior Vice President and Chief Financial Officer

P:\\hh\EOG Resources, Inc\5301020\_v2.doc



## United States Department of the Interior

### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3100 SL-065342 et al (UT-932)

DCT 1 8 1999

NOTICE

EOG Resources, Inc. Attn: Debbie Hamre P.O. Box 4362 Houston, TX 77210-4362

Oil and Gas Leases

Merger Recognized
Name Change Recognized

Acceptable evidence has been received in this office concerning the merger of EOG Resources, Inc. with and into Enron Oil & Gas Company with Enron Oil & Gas Company subsequently changing its name to EOG Resources, Inc.

For our purposes, the merger and name change are recognized effective September 3, 1999, the date the Secretary of State of the State of Delaware recognized the merger and name change.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the merger/name change. The exhibit is the list supplied by EOG Resources, Inc. We have not adjudicated the case files to determine if the entity affected by the merger/name change holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger/name change by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.


Due to the name change, the name of the principal/obligor on the bond is required to be changed from Enron Oil & Gas Company to EOG Resources, Inc. on Nationwide Surety Bond No. JP 0923 (BLM Bond No. NM 2308). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name may be furnished to the New Mexico State Office of the Bureau of Land Management.

Rebort Lopez

Robert Lopez Chief, Branch of Minerals Adjudication

Enclosure:

**Exhibit of Leases** 



WELL NAME

Page 8 of 20 01/18/2000

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

### MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS

PATTY E ROBINSON ENRON OIL & GAS CO PO BOX 250 BIG PINEY, WY 83113

UTAH ACCOUNT NUMBER:	N0401
REPORT PERIOD (MONTH)	YEAR): 12 / 1999
AMENDED REPORT [ (Hi	ghlight Changes)

WELL NAME		Producing	Well	Well	Days		Production Vo	lumes
API Number Entity	Location	Zone	Status	Туре	Oper	OIL(BBL)	GAS (MCF)	WATER (BBL)
CWU 353-15F 4304732555 04905	09S 22E 15	WSTC		GW		U-0283A	Chapita wells	apprv 10.20.9
CWU 440-14F 4304732562 04905	09S 22E 14	WSTC		GW		U-0282	11	11
CWU 435-24N 4304732639 04905	09S 22E 24	WSTC		GW		U-0282	1)	11
CWU 433-28N 4304732641 04905	09S 22E 28	WSTC		GW		U-0285A	11	11
CWU 409-11N 4304732643 04905	09S 22E 11	WSTC		GW		U-0281	1)	11
7 355-13N 04732644 04905	09S 22E 13	WSTC		GW		U-0282	1)	11
CWU 563-27F 4304732769 04905	09S 22E 27	WSTC		GW		U-0285A	11	11
CWU 443-11F 4304732823 04905	09S 22E 11	WSTC		GW		U-0281	11	[]
CWU 451-14F 4304732824 04905	09S 22E 14	WSTC		GW		U-0282	11	11
CWU 469-22F 4304732825 04905	09S 22E 22	WSTC		GW		U-0284A	11.	11
CWU 479-26F 4304732826 04905	09S 22E 26	WSTC		GW		U-0285A	1)	11
CWU 506-27F 4304732833 04905	09S 22E 27	WSTC		GW		U-0285A	11	11
CWU 463-23F 4304732841 04905	09S 22E 23	WSTC		GW		U-0282	lı.	11
				TO	TALS			
COMMENTS :						1		

	Date:
Name and Signature:	Telephone Number:



Michael O. Leavitt Kathleen Clarke Executive Director Lowell P. Braxton 801-359-3940 (Fax)
Division Director 801-538-7223 (TDD)

1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax)

February 1, 2000

Enron Oil & Gas Company P.O. Box 250 Big Piney, Wyoming 83113

Re: Notification of Sale or Transfer of Fee Lease Interest

The Division has received notification of a merger from Enron Oil & Gas Company to EOG Resouces Inc. for the following well(s) which are located on a fee lease:

Well Name	<u>SecTR.</u>	API Number
Stagecoach 18-17	17-09S-22E	43-047-30611
CWU 228-09	09-09S-22E	43-047-31317
CWU 337-09	09-09S-22E	43-047-32414
CWU 408-9N	09-09S-22E	43-047-33043
CWU 536-9F	09-09S-22E	43-047-33143
North Chapita 2-5	05-09S-22E	43-047-33211
CWU 535-9F	09-09S-22E	43-047-33275

Utah Administrative Rule R649-2-10 states; the owner of a lease shall provide notification to any person with an interest in such lease, when all or part of that interest in the lease is sold or transferred.

This letter is written to advise Enron Oil & Gas Company of its responsibility to notify all individuals with an interest in this lease (royalty interest and working interest) of the change of operator. Please provide written documentation of this notification to:

**Utah Royalty Owners Association** Box 1292 Roosevelt, Utah 84066

Page 2 Enron Oil & Gas Company Notification of Sale February 1, 2000

Your assistance in this matter is appreciated.

Sincerely,

Kristen D. Risbeck

KnstuD. RisBUK

cc: EOG Resources Inc.
Utah Royalty Owners Association, Martin Brotherson
John R. Baza, Associate Director
Operator File(s)



EOG Resources, Inc. 1200 Smith Street Houston, TX 77002

P.O. Box 4362 Houston, TX 77210-4362

> SENT VIA FAX (801)359-3940

March 10, 2000

Ms. Kristen Risbeck
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, UT 84114-5801

RE:

Merger and Name Change from Enron Oil & Gas Company

Into EOG Resources, Inc.

Dear Ms. Risbeck:

On August 30, 1999, EOG Resources, Inc. merged with and into Enron Oil & Gas Company and Enron Oil & Gas Company changed its name to EOG Resources, Inc. An originally certified copy of the Certificate of Ownership and Merger evidencing this merger and name change was previously sent to you. As we discussed today, there are two wells, the CWU 590-16F, NWNW-16-T9S-R22E, 430473337200 and the CWU 596-9F, SWSE-9-T9S-R22E, 430473337400 that should have been included on the original well list we mailed October 6, 1999, but they were inadvertently left off.

Please change your records to reflect these two additional wells as operated by EOG Resources, Inc. If you have any questions or need any additional information, please contact me at the (713) 651-6714.

Sincerely, Deliberthanne

Debbie Hamre



WELL NAME		EOG PROPERTY#	API#
BRENNAN BOTTOMS 1-15	U-14639		430473101800
COTTONTAIL FED 1-18	U- 0575	000721000001	430473189900
COTTONWOOD FED 1-20	U-0575	003570000001	430473187500
CWU 1-04	U-15726	003665000001	430473066000
CWU 1-05 WASATCH	U-15727	003666000001	430473066100
CWU 5-22	U-0284-A	003729000001	430471505100
CWU 7-10	4-0281	003742000001	430471505300
CWU 11-15	U-0283A	003667000001	430471505600
CWU 13-13	4-0282	003669000001	430471505800
CWU 15-11	U-0281	003671000001	430471506000
CWU 16-14	U-0282	003672000001	430471506100
CWU 17-25	U-0285A	003673000001	430471506200
CWU 20-28	U-0285A	003678000001	430471506500
CWU 21-23	U-0282	003680000001	430471506600
CWU 22-09	U-0283A	003683000001	430471506700
CWU 24-02	ML-3077	003701000001	430471506800
CWU 30-22	U-0284A	003709000001	430473022900
CWU 31-14	U-0282	003710000001	430473023200
CWU 32-21	U-0284A	003711000001	430473023300
CWU 33-16	ML-3078	003712000001	430473023400
CWU 34-28	SL-065296	003713000001	430473023500
CWU 35-15	U-0283A	003714000001	430473023600
CWU 36-26	11-0285A	003715000001	430473026300
CWU 37-11	U-0281	003716000001	430473026400
CWU 38-09	U-0283A	003717000001	430473026500
CWU 39-16	ML-3078	003718000001	430473026800
CWU 40-27	U-0344A	003719000001	430473028700
CWU 42-13	11-0282	003721000001	430473028900
CWU 43-11	4-0281	003722000001	430473029000
CWU 44-10	4-0281	003723000001	430473029100
CWU 45-25	4-010956	003724000001	430473061200
CWU 47-30	U-0337	003726000001	430473061400
CWU 48-19	U-0337	003727000001	430473061500
CWU 49-25	U-0285A	003728000001	430473070200
CWU 52-33	U-0336	003732000001	430473071200
CWU 58-19	U-0337	003738000001	430473082700
CWU 217-23	U-0282	003681000001	430473115700
CWU 220-10	4-0281	003684000001	430473115400
CWU 224-10	U-0281	003685000001	430473121800
CWU 225-02	ML-3077	003686000001	430473130500
CWU 226-03	U-0281	003687000001	430473131200
CWU 227-03	U-0281	003688000001	430473131300
CWU 228-09	FEE	003689000001	430473131700
CWU 229-12	4-0282	003690000001	430473131500
CWU 231-14	4-0282	003692000001	430473131800



WELL NAME		EOG PROPERTY#	API#
CWU 232-15	U-0283A	003693000001	430473130900
CWU 233-15	U-0283A	003694000001	430473132000
CWU 234-23	U-0282	003695000001	430473131900
CWU 236-13 BC	U-0282	003697000001	430473139300
CWU 236-13 PP		003697000002	430473139300
CWU 237-22	4-0284	003698000001	430473139200
CWU 238-16	ML-3078	003699000001	430473138500
CWU 239-09	U-0283A	003700000001	430473148300
CWU 240-16	ML-3078	003702000001	430473147100
CWU 241-16	ML-3078	003703000001	430473147200
CWU 244-25A CH	U-0285A	003707000002	430473155900
CWU 244-25A ISL		003707000001	430473155900
CWU 301-26	4-010964	019747000001	430473200200
CWU 302-2F	ML-3077	020089000001	430473321200
CWU 303-22	U-0284A	019748000001	430473200000
CWU 304-13	U-0282	019749000001	430473199900
CWU 306-27	U-0285A	021166000001	430473217500
CWU 307-28	U-0285A	021167000001	430473217600
CWU 308-21	U-0284A	021168000001	430473220000
CWU 310-9	U-0283A	024129000001	430473243900
CWU 311-26	U-0285A	021169000001	430473218000
CWU 312-23	4-0282	020022000001	430473209100
CWU 315-11F	4-0281	032567000001	430473332600
CWU 319-14	11-0282	020023000001	430473209600
CWU 320-11X	U-0281	024130000001	430473244800
CWU 321-26	4-028GA	020025000001	430473210000
CWU 323-22	U-0284A	020024000001	430473210100
CWU 324-22	U- 0284A	021172000001	430473220800
CWU 325-24N	U-0282	031378000001	430473306600
CWU 326-24	4-0282	021628000001	430473227700
CWU 327-23	4-0282	021629000001	430473231900
CWU 328-24F	U-0282	032254000001	430473332100
CWU 332-10	U-0281	024131000001	430473243100
CWU 334-02	ML-3077	021630000001	430473231800
CWU 337-9N	FEE	021631000001	430473241400
CWU 339-25	4-010956	021173000001	430473220600
CWU 340-26N	U-0285A	024133000001	430473241900
CWU 341-21N	U-0284A	022029000001	430473237100
CWU 342-22	U-0284A	021198000001	430473221000
CWU 343-15N	U-0283A	022030000001	430473236900
CWU 344-23N	4-0282	022031000001	430473237000
CWU 345-9N	U-0283A	022032000001	430473237200
CWU 346-26N	U-0285A	022033000001	430473236800
CWU 347-26N	4-110956	022034000001	430473236700
CWU 348-23N	U-0282	022035000001	430473237300



	WELL NAME		EOG PROPERTY #	API#
CWU 349-27N		U-0285A	022036000001	430473237400
CWU 350-14N		U-0282	022037000001	430473237500
CWU 351-15N		U-0283A	022038000001	430473239000
CWU 352-16		ML-31603	032569000001	430473333000
CWU 353-15F		U-0283A	025923000001	430473255500
CWU 355-13N		U-0282	025926000001	430473264400
CWU 358-23F		U-0282	025924000001	430473254800
CWU 359-27N	<del></del>	U-0285A	024135000001	430473243300
CWU 360-26N		U-0286A	024136000001	430473243200
CWU 364-15		U-0283A	024138000001	430473243600
CWU 401-28F		U-0285A	031398000001	430473313300
CWU 403-3N		U-0281	025124000001	430473251000
CWU 404-10N		U-0281	025125000001	430473251100
CWU 407-16N		ML-3078	032570000001	430473334700
CWU 408-09N		FEE	030439000001	430473304300
CWU 409-11N		4-0281	025927000001	490353264300
CWU 410-02N		ML-3077	030389000001	430473289300
CWU 411-10N		4-0281	025126000001	430473249600
CWU 416-24N		SL-071756	025127000001	430473250100
CWU 429-22N		U-0284A	025129000001	430473248400
CWU 430-22F		U-0284A	025130000001	430473248500
CWU 431-23F		U-0282	025131000001	430473248600
CWU 432-12N		U-2081	025123000001	430473252300
CWU 433-28N		U-0285A	002592900001	4304732641
CWU 434-27N	*43.147.32789	U-0285A	025930000001	430473264000
CWU 435-24N		U-0282	025931000001	430473263900
CWU 439-11N	-	11-0281	025932000001	430473285100
CWU 440-14F		U-0282	025925000001	430473256200
CWU 441-11F		U-0281	032571000001	430473334800
CWU 442-11F		U-0281	030577000001	430473295100
CWU 443-11F		U-0281	027627000001	430473282300
CWU 448-10F		U-0281	030440000001	430473304400
CWU 449-10F		U-0281	030666000001	430473304500
CWU 451-14F		U-0282	027628000001	430473282400
CWU 454-14F		U-0282	030441000001	430473291400
CWU 457-15N		U-0283A	030667000001	430473295200
CWU 458-15F	<del></del>	U-0283A	030668000001	430473295400
CWU 460-16F	<del></del>	mr-3078	032572000001	430473334900
CWU 462-24F		SL-071796	032255000001	430473331400
CWU 463-23F		11-0282	027629000001	430473284100
CWU 464-23F		4-0282	032573000001	430473331500
CWU 465-23		U-0282	030669000001	430473292500
CWU 467-22F		U-0284A	030390000001	430473289500
CWU 469-22E		U-0284A	027630000001	430473282500
CWU 471-21F		4-0284-1	031399000001	430473314100

LA IN ERROR



WELL NAME		EOG PROPERTY#	API#
CWU 474-21F	U-0284A	032574000001	430473333100
CWU 477-27F	U-0285A	030391000001	430473289700
CWU 479-26F	U-0285A	027631000001	430473282600
CWU 480-26F	U-0285A	030388000001	430473289600
CWU 482-09F	U-0283A	030392000001	430473289400
CWU 483-15F	U-0283A	030665000001	430473295300
CWU 485-26F	U-0285A	030670000001	430473292700
CWU 486-2F	ML-3077	030576000001	430473294900
CWU 487-09F	U-0283A	030617000001	430473295000
CWU 488-13F	U-0282	030570000001	430473292200
CWU 490-16N	ML-3078	030615000001	430473295500
CWU 491-16N	ML-3078	030618000001	430473295600
CWU 492-16F	ML-3078	030616000001	430473295700
CWU 494-22F	U-0284A	030444000001	430473291500
CWU 495-25N	U-0285A	030673000001	430473304700
CWU 496-21E	U-0284A	030614000001	430473295800
CWU 497-24F	U-0282	030674000001	430473304600
CWU 498-25E	4-010956	030575000001	430473304800
CWU 499-24F	4-0282	030672000001	430473292600
CWU 505-28F	U-023998	031400000001	430473318000
CWU 506-27F	U-0285A	031401000001	430473283300
CWU 507-26F	4-010956	032444000001	430473333200
CWU 511-24F	U-0282	031379000001	430473305900
CWU 514-23F	U-0282	031380000001	430473305800
CWU 516-21F	U-0284A	031382000001	430473313700
CWU 517-16F	ML-3078	032257000001	430473317100
CWU 518-16F	mL-3078	031402000001	430473313800
CWU 520-15F	U-0283A	031381000001	430473312700
CWU 521-15F	U-0283 A	032258000001	430473329600
CWU 522-15F	U-0283A	032242000001	430473323600
CWU 523-14F	U-0282	032259000001	430473329700
CWU 524-13F	U-0282	031403000001	430473311500
CWU 531-11F	U-0281	032260000001	430473329800
CWU 532-10F	4-0281	031407000001	430473326500
CWU 534-9F	U-0283A	031408000001	430473327400
CWU 535-9F	FEE	032220000001	430473327500
CWU 536-09F	FEE	031409000001	430473314300
CWU 538-3N	U-0281	031410000001	430473312500
CWU 542-3	U-0281	032221000001	430473321300
CWU 543-3	U-0281	032222000001	430473327100
CWU 544-02F	ML-3077	032576000001	430473335100
CWU 547-2F	ML-3077	031412000001	430473313600
CWU 549-19F	U-0337	031383000001	430473306800
CWU 550-30N	U-0337	031384000001	430473311600
CWU 555-10F	U-0281	031385000001	430473323700



WELL NAM	ME	EOG PROPERTY#	API#
CWU 556-11F	U-0281	031414000001	430473330100
CWU 558-14F	4-0282	031386000001	430473310500
CWU 559-14F	U-0282	031387000001	430473310600
CWU 560-14F	U-0282	031416000001	430473311700
CWU 561-14F	U-0282	031417000001	430473311800
CWU 563-27F	U-0285A	031419000001	430473276900
CWU 564-16F	ML-3078	031388000001	430473312600
CWU 565-28F	U-0285A	031245000001	430473306700
CWU 566-22F	U-0284A	031420000001	430473311900
CWU 570-02F	ML-3077	031746000001	430473335200
CWU 571-9F	U-0283A	031747000001	430473326600
CWU 572-10F	U-0281	031748000001	430473326700
CWU 573-11F	4-0281	031749000001	430473330200
CWU 574-12N	U-0281	031750000001	430473330300
CWU 575-13F	U-0282	031751000001	430473331600
CWU 576-14F	4-0283	031752000001	430473321500
CWU 577-22F	U-0284A	031753000001	430473332700
CWU 578-22F	U-0284A	031754000001	430473331700
CWU 579-23F	(1-0282	031755000001	430473331800
CWU 580-23F	11-0282	031756000001	430473331900
CWU 582-1N	U-01458	031758000001	430473323500
CWU 584-13F	U-0282	032261000001	430473332200
CWU 585-2	ML-3077	032223000001	430473321600
CWU 586-4	U-0283A	032224000001	430473326800
CWU 589-28	U-0285A	032262000001	430473332800
CWU 591-23F	U-0282	032577000001	430473332000
CWU 592-11F	'U-0281	032578000001	430473332900
CWU 593-11F	U-0281	032579000001	430473335400
DC 1-11 GR	U-27042	003747000001	430473032600
DC 2-10 GR	4-27042	003758000001	430473043400
DC 4-17 GR	U-38400	003780000001	430473064200
DC 60-29	U-24230	003804000001	430473109300
DC 61-29	U-24230	003805000001	430473126300
HARLEY GOVT #1		009856000001	430191504600
HOME FEDERAL #1-34	U-3405	006503000001	430473022300
HOME FEDERAL #1-34 WAS	- U 5 10 5	006503000002	430473022300
TL PAP 1-26 B5	U-43156	010439000001	430473177900
TL PAP 1-26 RED	<u> </u>	010439000002	430473177900
N CHAPITA 2-5	Fee	031873000001	430473321100
NATURAL COTTON 11-20	U-1575	023868000001	430473243000
NATURAL COTTON 12-17	U-0575	025208000001	430473246300
NATURAL COTTON 13-20	U-0575	023863000001	430473242900
NATURAL COTTON 14-08	U-0575	023867000001	430473242800
NATURAL COTTON 23-18	U-0581	023866000001	430473242700



WELL NAME		EOG PROPERTY#	API#
NATURAL COTTON 34-21	U-0576	023865000001	430473242600
NATURAL COTTON 43-16	ML-3282		430473046800
NBU 1-07B		004478000001	430473026100
NBU 2-15B		004489000001	430473026200
NBU 3-02B		004524000001	430473026700
NBU 4-35B		004538000001	430473027300
NBU 5-36B		004550000001	430473027200
NBU 7-09B		004573000001	430473027800
NBU 8-20B		004576000001	430473027500
NBU 10-29B		004479000001	430473027400
NBU 11-14B	U-0577A	004480000002	430473029200
NBU 11-14B WAS			430473029200
NBU 12-23B M4	U-0577A	004481000002	430473030800
NBU 13-08B		004482000001	430473029400
NBU 14-30	U-0581	004483000001	430473029500
NBU 15-29B		004484000001	430473029600
NBU 16-06B		004485000001	430473031600
NBU 17-18B	1.11	004486000001	430473031700
NBU 19-21B		004488000001	430473032800
NBU 20-01B		004490000001	430473031900
NBU 21-20B WDW		004497000001	430473035900
NBU 25-20B		004516000001	430473036300
NBU 26-13B		004517000001	430473036400
NBU 27-01B	U-02270A	004518000002	430473038100
NBU 28-04B		004521000001	430473036700
NBU 29-05B		004523000001	430473036800
NBU 30-18		004526000001	430473038000
NBU 31-12B BC		004528000002	430473038500
NBU 31-12B ISL		004528000001	430473038500
NBU 33-17B		004531000001	430473039600
NBU 34-17B		000350000001	430473040400
NBU 35-08B		004533000001	430473039700
NBU 36-07B		004534000001	430473039900
NBU 37-13B	U-0579	004535000001	430473040000
NBU 38-22B	U-0577A	004536000001	430473040100
NBU 48-29B		004547000001	430473054200
NBU 48-29B		004547000002	430473054200
NBU 49-12B		004548000001	430473047000
NBU 52-01B		004553000001	430473047300
NBU 53-03B		004555000001	430473047400
NBU 54-02B		004556000001	430473047500
NBU 55-10B		004557000001	430473046500
NBU 57-12B		004559000001	430473046300
NBU 58-23B		004560000001	430473046200
NBU 62-35B		004565000001	430473047700



		API#
NBU 63-12B	004566000001	430473046600
NBU 70-34B	004574000001	430473057700
NBU 71-26B	004575000001	430473057800
NBU 202-03	004493000001	430473115000
NBU 205-08	004494000001	430473123800
NBU 206-09	004495000001	430473116500
NBU 207-04	004496000001	430473117700
NBU 210-24	004498000001	430473115300
NBU 211-20	004499000001	430473115600
NBU 212-19	004500000001	430473126700
NBU 213-36	004501000001	430473126800
NBU 217-02	004505000001	430473128200
NBU 218-17	004506000001	430473131000
NBU 219-24	004507000001	430473130800
NBU 301-24E	020165000001	430473213100
NBU 302-9E	019750000001	430473201000
NBU 304-18E	020166000001	430473213000
NBU 305-07E	020167000001	430473213500
NBU 306-18E	021473000001	430473228200
NBU 307-6E	019751000001	430473201400
NBU 308-20E	021203000001	430473220200
NBU 309-20E	021295000001	430473228300
NBU 311-23E	021205000001	430473220300
NBU 313-29E	021832000001	430473237800
NBU 314-03E	021404000001	430473227100
NBU 316-17E	021935000001	430473238100
NBU 317-12E	021938000001	430473236200
NBU 318-36E	021204000001	430473220400
NBU 321-10E	021943000001	430473237900
NBU 322-15E	031312000001	430473313900
NBU 325-8E	021940000001	430473237600
NBU 328-13E	021944000001	430473238600
NBU 329-29E	021532000001	430473222900
NBU 331-35E	020174000001	430473214700
NBU 332-08E	020175000001	430473214800
NBU 333-2E	021405000001	430473251800
NBU 335-23E	021406000001	430473226500
NBU 336-24E	021407000001	430473226400
NBU 339-19E	021533000001	430473228100
NBU 340-20E	021408000001	430474232700
NBU 341-29E	022179000001	430473305500
NBU 342-35E	021206000001	430473221200
NBU 343-36E	021207000001	430473220500
NBU 349-07E	021534000001	430473232600
NBU 352-10E	021937000001	430473251900



WELL NAME		EOG PROPERTY#	API#
NBU 356-29E	· · · · · · · · · · · · · · · · · · ·	021834000001	430473238300
NBU 358-1E		021942000001	430473238800
NBU 360-13E	· · · · · · · · · · · · · · · · · · ·	021945000001	430473238700
NBU 382-18E	·	031002000001	430473306400
NBU 386-24E	· . · · · · · · · · · · · · · · · · · ·	031005000001	430473305600
NBU 388-19E		031134000001	430473305700
NBU 389-29E	· · · · · · · · · · · · · · · · · · ·	031344000001	430473304900
NBU 390-4E		031316000001	430473283500
NBU 391-05E		031007000001	430473298800
NBU 393-13E	<del></del>	031008000001	430473307100
NBU 394-13E		031009000001	430473307200
NBU 400-11E	w	025576000001	430473254400
NBU 431-09E		031135000001	430473306900
NBU 481-03E		031136000001	430473306300
NBU 483-19E		031137000001	430473306500
NBU 489-07E		031329000001	4304733/21
NBU 490-30E April .	U-0581	031330000001	430473313500
NBU 497-1E	01 0 - 01	031337000001	430473312300
NBU 506-23E		031342000001	430473314000
NBU 508-8E		031300000001	430473312400
NBU STATE 1-32G	ML-22261	004470000001	430473031500
NBU STATE 2-36G		004471000001	430473051500
NDC 69-29 ORI	U-24230	010915000001	430473158000
NDK STORAGE		024739000001	
NDU 1-28	4-0576	004581000001	430473126900
OSCU II 1-34	4-49523	019777000001	430473203900
OSCU II 2-27 (DEV)	U-49518	001727000001	430473189800
OSCU II FED #1	4-49518	011041000001	430473172200
STG 1-32	ML-3085	005915000001	430471507100
STG 2-28	U-0803	005928000001	430471507200
STG 6-20	Indian	005936000001	430471507500
STG 11-22	U-025960	005919000001	430472019300
STG 14-34	4-9613	005922000001	430473059400
STG 15-27	U-0803	005923000001	430473060400
STG 18-17	Fee	005926000001	430473061100
STG 19-33	4-9613	005927000001	430473065700
STG 21-08	U-D283	005930000001	430473065900
STG 22-17	Indian	005931000001	430473129900
STG 33-17N	Indian	024128000001	430473244100
STG 41-20	U-019362A	021175000001	430473228000
STG 44-8N	U-0283	025122000001	430473252000
STG 48-17F	Indian	031389000001	430473272800
STG 50-20F	4-019362	031390000001	430473310400
STG 51-20F	Indian	031391000001	430473312000
STG 52-08N	U-0283	031745000001	430473283400



WELL NAME	EOG PROPERTY#	API#	
STG 53-08N	U-1283	032264000001	430473268200
STG 56-20F	Indian	032265000001	430473337000
STG 57-08N	U-0283	032266000001	430473337100
WILD HORSE FED 2-26	4-3405	008266000001	430473188200
WILD HORSE FED 2-35	U-3405	019139000001	430473190100
WILD HORSE FED 3-26	U-43156	021869000001	430473237700
WILD HORSE FED 3-35	U-340S	021871000001	430473238900

Oivision of Oil, C	Gas and M	lining					ROUTING:	
OPERATOR CHANGE WORKSHEET							1-KDR	6-KAS
Attach all documentation received by the Division regarding this change.							2-GLH	7 <del>-S</del> J
							3-JRB	8-FILE
initial each listed	item when	completed. Write	e N/A if item is not applic	able.			4-CDW	
☐ Change of	f Operat	or (Well Sold	) Desig	nation of Agent			5-KDR	
☐ Designation	on of Op	perator	x⊠ Opera	ntor Name Change	Only (M	ERGER)		
The operator	of the w	vell(s) listed be	elow has changed,	effective: 8-30-	.99			
<b>ΓO:</b> (New Op	arator)	FOC DECOM	RCES INC.	FROM:(Old	Operator)	ENDON O	TT & CAS O	'OMP A NV
Addre		P.O. BOX		•	ress:	P.O. BO		JOIN 2001
11441			TX 77210-4362			HOUSTON, TX 77210-4362		
		DEBBIE H				DEBBIE	HAMRE	
		Phone: (71	3)651-6714			Phone: (	713) 651–67	<u> 14                                    </u>
,		Account No.	<u> N9550</u>			Account	No. <b>NO401</b>	<u> </u>
LL(S): A	ttach addit	ional page(s) if ne	eded.					
` ,			api:4304732	\$71. Entire	076	т() < р 🤉	228 Lease:	
Name: **SEE		HEDxx		Entity:	s <u>~~</u> S	T R		
Name:			<del></del>	Entity:				
				Entity:	S	_TR_	Lease:	
Name:			API:	Entity:		_TR_	Lease:	
Name:			API:	Entity:	S	_TR_	Lease:	
OPERATOR	R CHAN	IGE DOCUM	MENTATION					
<u>DF</u> 1.	(R649- form) (	8-10) Sundry o	or other legal docume	entation has been re	ceived fro	m the FOR	MER operato	or (attach to this
2.	(R649-	8-10) Sundry o	or other legal docume	entation has been re	ceived from	m the NEW	operator on	10.7.99.
<u>DL</u> 3.	The new company has been looked up in the <b>Department of Commerce</b> , <b>Division of Corporations Database</b> if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State?  Yes/No If yes, the company file number is If no, Division letter was mailed to the new operator on							
WHA 5	4. Federal and Indian Lease Wells. The BLM and/or the BIA has approved the operator change for all wells listed above involving Federal and/or Indian leases.							
	Federal and Indian Units. The BLM and/or the BIA has approved the operator change for the unit and all wells listed above involving unit operations. (NUM UNITY DUY - b/W approved)							
UH 6.	Federa	al and Indian (	Communitization A A (Federal,Indian), (	greements ("CA")	. The BLI	M and/or th	e BIA has app	proved the
			n a CA (state or fee) s Office before approv		undry noti	ice of all we	ells involved t	o Teresa

7.	Underground Injection Control ("UIC") Program. The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.
KDR 8.	Changes have been entered in the Oil and Gas Information System for each well listed on 1.31.2006 3
<u> </u>	Changes have been entered in RBDMS for each water/gas injection, water disposal well listed on
10.	Changes have been included on the monthly "Operator, Address, and Account Changes" memo on
<u>YDR</u> 11.	An Operator Change File has been set up, and a copy of this page has been placed there for reference during routing and processing of the original documents.
ENTITY R	EVIEW
KDR 1. KDR 2.	(R649.8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? Yes/No If entity assignments were changed, attach copies of Form 6, Entity Action Form.
KDR 2.	Tax Commission, Trust Lands, and Forestry, Fire & State Lands have been <b>notified</b> through normal procedures of entity changes.
BOND VER	RIFICATION - (FEE LEASE WELLS)
YDP 1.	(R649-3-1) The NEW operator of any fee lease well(s) listed above has furnished a proper bond.  HIGH HIT - 1230 Iff 10:4:99 St. Paul Fire & Maurie (80,000)  A copy of this form has been placed in the new and former operator's bond files on
WR- 3.	The FORMER operator has requested a release of liability from their bond as of todays date(see bond file).
LEASE INT	TEREST OWNER NOTIFICATION OF RESPONSIBILITY
<u>LDR</u> 1.	E-mail sent on to at SITLA for changes involving State leases. (Wait two weeks before changing, unless the Division hears otherwise.) (8) [100 Stational St. Paul fire   Manne
<u> 2.</u>	(R649-2-10) The Former operator of any Fee lease wells listed above has been contacted and informed by letter dated 2:1.200, of their responsibility to notify all interest owners of this change.
FILMING 1.	All attachments to this form have been microfilmed on 3-26-01.
FILING 1.	Copies of all attachments pertaining to each individual well have been filed in each well file.
2.	The original of this form, and the original attachments have been filed in the Operator file(s).
COMMENT	'S

Sundry Number: 1-8927a Approval of this: 43047328260000

Action is Necessary

STATE OF UTAH  DEPARTMENT OF NATURAL RESOURCES  DIVISION OF OIL, GAS, AND MINING			FORM 9		
	5.LEASE DESIGNATION AND SERIAL NUMBER: U-0285-A				
SUND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for propos bottom-hole depth, reenter plu DRILL form for such proposals.	ting wells below current PPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS			
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 479-26F		
2. NAME OF OPERATOR: EOG Resources, Inc.		<b>9. API NUMBER:</b> 43047328260000			
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna	<b>PHONE N</b> al, UT, 84078 435 781-9111 E		9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0425 FNL 1461 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NENW Section: 26		STATE: UTAH			
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPORT,	, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start: 9/28/2011	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
9/20/2011	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:		FRACTURE TREAT	☐ NEW CONSTRUCTION		
		PLUG AND ABANDON	☐ PLUG BACK		
SPUD REPORT		RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION		
Date of Spud:		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON		
		VENT OR FLARE	☐ WATER DISPOSAL		
DRILLING REPORT Report Date:	☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	APD EXTENSION		
	☐ WILDCAT WELL DETERMINATION ✓	OTHER	OTHER: Temporarily Shut-in		
EOG Resources, Inc. respectfully requests authorization to temporarily shut-in the referenced well, while drilling the Chapita Wells Unit 1487-26D, 1488-26D, 1489-26D, 1490-26D and 1491-26D pad well.  Accepted by the Utah Division of Oil, Gas and Mining  Date: 09/29/2011  By:					
NAME (PLEASE PRINT) Mickenzie Gates	<b>PHONE NUMBER</b> 435 781-9145	TITLE Operations Clerk			
SIGNATURE N/A		<b>DATE</b> 9/28/2011			